Automessages (1)

Inhaltsverzeichnis

- 1 Short description
- 2 Configurationoverview
- 3 Detailed configurationvariables

This is how you configure the automessages plugin.

1 Short description

With this plugin, you can configure your own messages, which are sent to the chat in a specific interval. Furthermore messages can be shown at specific times/days.

2 Configurationoverview

```
JavaScript: configs/plugins/automessages.json
```

```
erveimsunning4GSManagexVERSION>^5v,isiduWiebsitæt^4www.GSManager.de",

[_MFXP>4<NEXT_GAMETYPE>^5)"
],

["0 0 * * * *"
]
}
```

Alles anzeigen

3 Detailed configuration variables

The configurationfile of the "<u>automessages</u>" function is located in the configs/plugins directory and is named banner.json. An explanation of the variables follows:

<u>Variable</u>	Allowed Values	Description
enabled	truefalse	You can (de)active the plugin with this variable.
interval	. number	This variable defines the interval between two sent messages in seconds.
logging	truefalse	This variable defines if the <u>automessages</u> should be logged in the daemon.log
messages	s Text	This variable defines the messages, which should be send to the chat.
cron	Array with arrays of two strings each	First entry of each array is a <u>unix cron time string</u> , second is the message.

You can use the following placeholders in your messages:

Platzhalter Beschreibung

 $\label{eq:with a wordwrap.} \end{substitute} \begin{tabular}{ll} Will be replaced with a wordwrap. \end{substitute}$

<NEXTMAP> Will be replaced with the next map.

<NEXTGT> Will be replaced with the next gametype.

<VERSION> Will be replaced with the current running GSManager <TIME_DE> Will be replaced with the time in german time format. <TIME_EN> Will be replaced with the time in english time format.

<DATE> Will be replaced with the date in form date time month year (01 Oct 2014).

<MAP> Will be replaced with the current running map.

Using color codes is possible.