

Votings (1)

Table Of Contents

- [1 Short Description](#)
- [2 Configuration Overview](#)
- [3 Detailed Configuration Variables](#)

1 Short Description

This plugin allows you to start votes on your server.

2 Configuration Overview

JavaScript: configs/plugins/votings.json

```
{
```

```
}}
```

Display More

3 Detailed Configuration Variables

The configurationfile of the "votes" function is located in the configs/plugins directory and is named [votings](#).json. An explanation of the variables follows:

<u>Variable</u>	<u>Zulässige Werte</u>	<u>Beschreibung</u>
enabled	truefalse	You can (de)active the plugin with this variable. This variable defines the duration (in minutes) of a successful voteban.
banduration	number	0 stands for infinite duration (perm ban).
changevote	truefalse	This variable defines, if players which decided already for !yes or !no are able to switch their vote option.
decaytime	number	This variable defines the vote cooldown (in seconds).
duration	number	This variable defines the vote time duration (in seconds).
gametypes		Includes each array of allowed gametypes for the vote. * stands for any in the gametypes.json allowed gametypes.
implicitvote	truefalse	This variable defines, if the vote starter votes !yes automatically.
interval	number	This variable defines the duration between the vote in progress messages (in seconds).
maps		Includes each array of allowed maps for the vote. * stands for any in the maps.json allowed maps.
minplayers	number	This variable defines the minimum required players to start a vote.
minvotes	numbernumber%	This variable gives the amount (in percent or static), how many players must vote to not to fail the vote.
persistent	truefalse	This variable defines if votes should end, when a map ends. (Important for e.g. Search & Destroy in Call of Duty)
quorum	numbernumber%	This variable gives the amount (in percent or static), how many players must vote yes to not to fail the vote.

The following permissions are delivered by this plugin:

Permission	Beschreibung
votings.admin	Ignores the decaytime and allows to start the vote.
votings.immunity.kick	Makes a specific group immune against votekicks.
votings.immunity.tempban	Makes a specific group immune against votetempbans.
votings.immunity.ban	Makes a specific group immune against votebans.