Funmessages (1)

Inhaltsverzeichnis

- 1 Short description
- 2 Configurationoverview
- 3 Detailed configurationvariables

This is how you configure the funmessages plugin.

1 Short description

With this plugin, you can configure your own funmessages.

2 Configurationoverview

```
JavaScript: configs/plugins/funmessages.json
```

```
"aimbot":
                                                                "^5<PLAYER_NAME>
                                                                                   ^4turned
                                                                                              on
          "beer": "^2Anicesexywaitressbrings^7<PLAYER_NAME>^2anicepintofbeer!",
                                                          "^10oooooh,
                                             "bigadmin":
                                                                               Admin
                                                                                       is
                                                                                            watcl
     "bye":"^7<PLAYER_NAME>^2waveshishandtosay^1GOODBYE^2.Wesurelymeetlater!"
   "cheat": "^7<PLAYER NAME>1thinksthat 7<PLAYER LASTKILLER>1ischeating!"
                               "god": "^1GODMODE^2 is now enabled for player ^7<PLAYER_NAME>",
LASTWEAPONKILLER LAYER_KILLE 12 s ,
"pizza" "^2SomeoneallMariandherings7<PLAYER_NAME>^2nopepperonpizza!",
boodPlayer Lastkiller wiethayer lastweapondeath>"
```

Alles anzeigen

3 Detailed configuration variables

The configurationfile of the "<u>funmessages</u>" function is located in the configs/plugins directory and is named <u>funmessages</u>.json. An explanation of the variables follows:

Variable Allowed Values Description

```
enabled truefalse You can (de)active the plugin with this variable.

messages This variable includes the object/has of the funmessage.
```

The following placeholder can be used in the command field.

Placeholder Description

<PLAYER_NAME> Will be replaced with the own name. <PLAYER_TEAM> Will be replaced with the own team.

<PLAYER_LASTKILLER> Will be replaced with the last player who killed you.
<PLAYER LASTVICTIM> Will be replaced with the last player you killed.

<PLAYER_LASTWEAPONKILL> Will be replaced with the last weapon you killed a player with.<PLAYER_LASTWEAPONDEATH> Will be replaced with the last weapon a player killed you with.

<PLAYER_KILLS> Will be replaced with the own amount of kills.
<PLAYER_DEATHS> Will be replaced with the own amount of deaths.
<PLAYER_TEAMKILLS> Will be replaced with the own amount of teamkills.

<TIME> Will be replaced with the current time. Format: H:i (Hour:Minute)

<PLAYER COUNTRY CODE> Will be replaced with the own country code. (e.g. DE)

Will be replaced with the own country name (e.g. Germany). The

<PLAYER_COUNTRY_NAME> country name adapts oneself to the language which was set in the

config.

<PLAYER_CONTINENT_CODE> Will be replaced with the own continent code. (e.g. EU).

Will be replaced with the own continent name. (e.g. Europe). The

<PLAYER_CONTINENT_NAME> continent name adapts oneself to the language which was set in the

config.

Will be replaced with the own city name. (e.g. Berlin). The city name

<PLAYER_CITY_NAME> * adapts oneself to the language which was set in the config.

* Works only, if the extended geoip database is installed.

You are able to use color codes.